

Kingspan AIR-CELL Insulbreak @65 R2.4
 Self-Supported 3-in-1 Insulation Vapour
 Barrier and Radiant Barrier

20mm thick cavity battens

BRA-TYPE 17 Self drilling assemblies for Timber.
 Type 17 14-10x75 HEX Bra at every crest.

Continuous cavity drainage closure strip


RPFL Colorbond® XRW/Ultra 0.55 BMT Apron
 Flashing Base Materials: coating AZ200 Steel
 Grade G300. fixed to cladding ribs with SDM Screw.

Flashguard Soft Edge flashing for metal roof accessories Weather
 sealing membrane with elastic characteristics compatible with
 zincalume, aluminium & galvanised steel roof materials.

Bayonet Roof Safe Netting consists of a hexagonal, 113mm flat
 mesh, manufactured from 1.0mm diameter galvained mild steel wire
 with 2 reinforcing wires of 1.2mm dia. 113mm roof safe netting is
 supplied in rolls 1800mm wide in lengths of 50m. Netting conforms to
 Class W02 of AS/NZS 4534:2006. Minimum mass of gal coating is
 25g/m² for 1.0mm dia wire.

RPFL SuperDek® Colorbond® XRW/Ultra 0.42BMT/0.48BMT
 roof cladding turned down. Base Materials: Steel Grade G550.
 BMT 0.42. Mass 4.3kg/m² or 0.48BMT 4.9kg/m². AZ 150 coating
 for XRW & AZ 200 coating for Ultra. Minimum Roof Pitch 2
 degree. Profiles tested for Cyclonic Conditions.

RPFL Zed & Cee sections are roll formed from
 GALVSTEEL, complying with AS1397-2001. Metal
 thickness is 1.5, 1.9 & 2.4mm. BMT G450, Z450.



Notes:

- These details are suitably fixed to allow for a theoretical thermal movement of up to 10mm. For thermal movement greater than this a clipping system should be considered.
- Leave foam out if ventilation is required.



ROOFING & PROFILES (FIJI) LTD
 PH: (679) 6673764. Mob: 9999 309
 EMAIL: info@roofingandprofiles.com.fj

This drawing is the property of Roofing & Profiles (Fiji) Ltd and must not be copied or disclosed to any third party without the written consent of the company.
 ALL DIMENSIONS ARE IN mm UNLESS STATED

PROJECT TITLE:
 WALL TO ROOF DETAILS

DRAWING TITLE:
 SHOP DRAWING

Nos:	Revision:		
1.			
2.			
3.			
4.			
5.			

DRAWN: R. Lal

DATE: 14/ 01 /2021

CHECKED BY: -

SCALE: 1:5 @ A4

REVISION No:

APPROVED BY: -

SHEET No: SD 2170

REVISION TITLE:

JOB NUMBER: